ASSEMBLY INSTRUCTIONS

SLAM-IT RIM® COMBO BASKETBALL SYSTEM

MODEL 90087

BEFORE ASSEMBLY:

- 2+ people recommended for setup.

Save this instruction in the event that the manufacturer has to be contacted for replacement parts.

TOOLS REQUIRED

(2)

(1)

(1)

TABLE OF CONTENTS

Icon Legend.....2
Notices.....3
Backboard to Rim Assembly.....4
Maintenance Instructions.....10
Registration.....10
Warranty.....11

QUESTIONS?

CONTACT LIFETIME® CUSTOMER SERVICE:

Call: **1-800-225-3865**
7:00 am–5:00 pm (Monday–Friday) MST
and 9:00 am–1:00 pm Saturday MST

Live Chat: **www.lifetime.com**
(click on "Ask An Expert" tab)

Video Instructions:
www.youtube.com/lifetimeproducts

For Customer Service in Mainland Europe and the United Kingdom,
E-mail: cs@lifetimeproducts.eu

MODEL# AND PRODUCT ID
(you will need both when contacting us)
Model Number: **90087**
Product ID:

ICON LEGEND

• Indicates special heed should be taken when reading.

• Indicates the parts to be used for a section.

• Indicates no parts required for a specific section.

• Indicates the hardware to be used for a section.

• Indicates no hardware required for a specific page.

• Indicates the tools to be used for a section.



• Indicates to use/not to use an electric drill for a specific step.



• Indicates the use of a centerlock nut. A nut with this marking will require some effort to tighten. This hardware was designed with this feature in order to prevent loosening later.

WARNINGS & NOTICES / AVERTISSEMENTS ET AVIS / ADVERTENCIAS Y AVISOS

SAFETY INSTRUCTIONS

FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN SERIOUS INJURY OR PROPERTY DAMAGE AND WILL VOID WARRANTY.

Owner must ensure that all players know and follow these rules for safe operation of the system.

To ensure safety, do not attempt to assemble this product without following the instructions carefully. Check entire box and inside all packing material for parts and/or additional instruction material. Before beginning assembly, read the instructions and identify parts using the hardware identifier and parts list in this document. Proper and complete assembly, use and supervision are essential for proper operation and to reduce the risk of accident or injury. A high probability of serious injury exists if this product is not installed, maintained, and operated properly.

- If using a ladder during assembly, use extreme caution.
- Three capable adults are recommended for this operation.
- Check base daily for leakage. Leaks will cause system to fall.
- Assemble the pole sections properly. Failure to do so could cause the pole sections to separate during play or transport.
- Minimum operational height is 6 ft 6 in (1.98m) to the bottom of the backboard.

Most injuries are caused by misuse and/or not following instructions. Use caution when using this product.

CONSIGNES DE SÉCURITÉ

LA NON-RESPECT DE CES AVERTISSEMENTS PEUT RÉSULTER EN ACCIDENTS GRAVES OU DOMMAGES MATÉRIELS ET ANNULER LA GARANTIE.

Le propriétaire doit veiller à ce que tous les joueurs connaissent et suivent ces règles pour une exploitation sûre du système.

Pour assurer votre sécurité, ne tentez pas d'assembler cet article sans avoir lu et suivi toutes les consignes attentivement. Vérifiez la totalité de la boîte et l'intérieur de tous les matériaux d'emballage pour trouver toutes les pièces et/ou matériau contenant des consignes supplémentaires. Avant de commencer le montage, identifiez toutes les pièces et tous les accessoires et faites-en l'inventaire en les comparant aux listes et identificateurs de pièces et accessoires contenus dans ce document. Un assemblage correct et complet, ainsi que l'utilisation et la supervision correctes sont des conditions essentielles à la bonne direction et diminuent les risques d'accident ou de blessure. Une haute probabilité d'accident grave résulte de mauvaises conditions d'installation, maintenance et/ou utilisation.

- Agissez avec la plus grande prudence si vous employez une échelle pour l'assemblage.
- Trois adultes en bonne condition physique sont requis pour assembler ce produit.
- Vérifiez quotidiennement la base au niveau de fuites. Les fuites peuvent causer la chute du système.
- Assemblez les sections de poteau correctement. La non-observation de cette consigne peut amener les sections de poteau à se séparer pendant le jeu ou le déplacement.
- La hauteur minimale est 1,98 m (6 pi 6 po) au bas de la planche.

La majorité des accidents résultent d'une mauvaise utilisation et/ou du fait de n'avoir pas suivi les consignes. Observez toutes précautions utiles pendant l'utilisation de ce produit.

INSTRUCCIONES DE SEGURIDAD

EL INCUMPLIMIENTO DE SEGUIR ESTAS ADVERTENCIAS PUEDE OCASIONAR EN LESIONES GRAVES Y/O DAÑO A LA PROPIEDAD Y ANULARÁ LA GARANTÍA.

El propietario debe asegurarse de que todos los jugadores conocen y seguir estas reglas para la operación segura del sistema.

Para su seguridad, no intente ensamblar este producto sin leer y seguir todas las instrucciones cuidadosamente. Revise la caja entera y todos los materiales de embalaje en busca de piezas y / o material de instrucciones adicional. Antes de comenzar el ensamble, identifique todas las piezas y el equipo usando las listas de partes y equipo así como los identificadores en este documento. El ensamble correcto y completo, el uso y la supervisión son esenciales para una orientación apropiada y para reducir el riesgo de un accidente o lesión. Existe una alta probabilidad de sufrir lesiones graves si este producto no es instalado, mantenido y / o operado correctamente.

- Si utiliza una escalera durante el ensamble, tenga mucho cuidado.
- Tres adultos competentes son requeridos para ensamblar el producto.
- Compruebe si hay fugas en la base. Las fugas pueden causar que el producto caiga.
- Ensamble las secciones del poste correctamente. De lo contrario, podría provocar que las secciones del poste se separaran durante el juego o el transporte.
- Altura mínima de operación es 1,98m (6 ft 6 in) a la parte inferior del tablero.

La mayoría de las lesiones son causadas por el abuso y/o por el no seguir las instrucciones. Sea cauteloso al usar este producto.

1 BACKBOARD TO RIM ASSEMBLY

HARDWARE REQUIRED

Hardware Bag



ABG (x2)



ABC (x2)*

ACS (x2)

ABK (x6)*



AAV (x2)



AAJ (x2)



ABD (x2)



ABF (x2)

** Hardware Bag BCS contains hardware that may not be used.*

AOW (x1)

AJW (x2)



BNP (x1)



ADP (x10)

PARTS REQUIRED

Metal Parts



ALX (x1)

Plastic Parts



AJI (x1)



AKZ (x1)

AJQ (x1)



ALD (x1)



BAA (x1)



BAB (x1)

TOOLS REQUIRED

1/2" (13 mm)



(2)

(1)

(1)

▶ SECTION 1 (CONTINUED)

TOOLS AND HARDWARE REQUIRED













1.1

- Insert two **Tap Bolts (ABG)** with the **Washers (ABD)** and the **Rubber Washers (ABF)** through the bottom holes in the back of the **Rim (ALX)** as shown, and secure the hardware with two **T-Nuts (AAJ)**.





- *Make sure that the Tap Bolts (ABG) are positioned on the outside edge of the holes as shown.*



- *Do not overtighten the hardware so much that the Rubber Washers bulge outward as shown.*

1.2

- *Before performing this step, assemble the U-Bolt (BNP) to the Backboard Brackets (not included) as instructed by using the hardware and the assembly manual of the Mounting Kit (sold seperately) or your original unit.*

- Insert the **U-Bolt (BNP)** through the upper part of the opening on the backside of the **Backboard (AJI)** as shown.



- *The Backboard Brackets shown here are provided with the Mounting Kit (sold seperately) or with your original unit. The actual Brackets may vary, but the assembly steps still apply. See page 10 for more details.*

▶ SECTION 1 (CONTINUED)

TOOLS AND HARDWARE REQUIRED

1/2" (13 mm) (x2)

ABK (x2)

ACS (x2)



AAV (x2)

1.3

- Connect the **Rim (ALX)** and **Plastic Guard (ALD)** to the **Backboard (AJI)** with the hardware shown. Thread the **Jam Nuts (AAV)** all the way down on the **U-Bolt (BNP)**.





AAV (x2)

1.4

- On the underside of the Backboard, place **Steel Spacers (ACS)** onto the **Tap Bolts (ABG)**, and secure the **Nylock Flange Nuts (ABK)** onto the Tap Bolts.



! • The Backboard Brackets shown here are not included with this system. See page 10 for more details.

▶ SECTION 1 (CONTINUED)

TOOLS AND HARDWARE REQUIRED

1/2" (13 mm) (x2)

ABK (x2)

AOW (x1)

AJW (x2)



ABC (x2)

1.5

- Slide the **Compression Springs (AJW)** onto the **U-Bolt (BNP)**, and place the **Spring Retainer Plate (AOW)** over the Compression Springs. Tighten the **Nylock Flange Nuts (ABK)** until the **Rim (ALX)** does not wobble to complete this step.



! • DO NOT COMPLETELY TIGHTEN THE NYLOCK FLANGE NUTS IN THIS STEP! Only tighten the Nuts until the Rim does not wobble. Tightening the Nuts will adjust the Rim tension.

1.6

- Slide the **Carriage Bolts (ABC)** into place on the backboard as shown.





! • The Backboard Brackets shown here are not included with this system. See page 10 for more details.

▶ SECTION 1 (CONTINUED)

TOOLS AND HARDWARE REQUIRED



ABK (x2)



ADP (x4)

1.7

- Bend the **Backboard Brackets** by hand. Secure the Brackets to the Carriage Bolts through the lower of the two holes in the Bracket.



- *The Backboard Brackets shown here are not included with this system. See page 10 for more details.*

1.8

- Remove the plastic film from the **Backboard (AJI)**, and attach the **Center Frame Pad (AJQ)** to the Backboard in the location shown with the hardware indicated. Make sure that the Center Frame Pad is oriented and centered on the metal piece of the Backboard.





▶ SECTION 1 (CONTINUED)

TOOLS AND HARDWARE REQUIRED



ADP (x6)

1.9

• Attach the **Corner Frame Pads (BAA and BAB)** to the Backboard in the locations indicated with the hardware indicated.





- *The Corner Frame Pads (BAA and BAB) will overlap the Center Frame Pad (AJQ).*
- *Les protections angulaires (BAA et BAB) chevaucheront la protection centrale (AJQ).*
- *Las almohadillas angulares (BAA y BAB) se solaparán con las almohadilla central (AJQ).*

1.10

• Attach the **Net (ALX) to the Rim.**



- *If a replacement Net is needed, please call our Customer Service Department. Our Nets are shorter than average to reduce the risk of entanglement.*

MOUNTING KIT SOLD SEPERATELY

See details below.

- For mounting the Backboard & Rim Combo to a roof, wall, or existing pole mount that does not provide an extension, you must use a Mounting Kit designed for this purpose. Lifetime Products offers a Universal Mounting Kit, **Model #9594**, through our Customer Service Department. Figures A, B, and C show the Universal Extension Bracket mounted to a roof, a wall, and an existing pole. **Please information at the bottom of this page for ordering information.**



FIG. A, ROOF MOUNT



FIG. B, WALL MOUNT



FIG. C, EXISTING POLE MOUNT

- *The Universal Mounting Kit is not included with this basketball system. See details below to order the kit from our Customer Service Department.*

PRODUCT DESCRIPTION	MODEL #
Universal Mounting Kit	9594

Call our Customer Service Department at 1.800.424.3865 for prices and shipping costs.
To place orders, use a Master Card or Visa and call our Customer Service Department, or send check or money order to:

LIFETIME PRODUCTS, INC.
P.O. BOX 160010
BLDG. D-11, FREEPORT CENTER
CLEARFIELD, UT 84016-0010

MAINTENANCE / ENTRETIEN / MANTENIMIENTO

The life of your basketball system depends on many variables. The climate, exposure to corrosives such as salt, pesticides, or herbicides, and excessive use or misuse can all contribute to Pole failure, which may cause property damage or personal injury.

Check your basketball system frequently for loose hardware, excessive wear, and signs of corrosion. For safety reasons, and to prolong the life of your basketball system, you must take the following preventive measures.

a. Check all Nuts and Bolts. If any are loose, tighten them.
b. Check all parts for excessive wear and tear. If necessary, replace any parts that have been worn or damaged through usage. Contact our Customer Service Department for replacement parts.
c. Inspect the Warning Sticker on the Pole. If it is ripped, faded, or illegible, call our Customer Service Department to request a replacement Sticker.
d. Check all Pole sections for visible rust or chipped or cracked paint. If either are present, do the following:
   1. Use an emery cloth to completely remove any rust or chipped paint.
   2. Clean the area with a damp cloth and allow it to dry.
   3. Apply two coats of a rust preventative, high gloss enamel paint to the area. Allow the paint to dry between coats.

IF RUST HAS PENETRATED THROUGH THE POLE ANYWHERE, REPLACE IT IMMEDIATELY!

REGISTER YOUR PRODUCT / ENREGISTREZ VOTRE PRODUIT / REGISTRE SU PRODUCTO

At Lifetime®, we are committed to providing innovative and quality products. While registering, you will have the opportunity to give us your feedback. Your input is valuable to us.

- You can also opt in to receive new product notifications or promotions.
- In the unlikely event of a product recall or safety modification, your registration provides the information we need to notify you directly.
- Registration is fast, easy, and completely voluntary.

LIFETIME'S PROMISE TO YOU:

Maintaining your privacy is our long-standing policy at Lifetime®. And you can rest assured that Lifetime® will not sell or provide your personal data to other third parties, or allow them to use your personal data for their own purposes.

We invite you to read our privacy policy at www.lifetime.com

REGISTER today!

NOTES

NOTES

NOTES

5-YEAR LIMITED FACTORY WARRANTY

THE MANUFACTURER RESERVES THE RIGHT TO MAKE SUBSTITUTIONS TO WARRANTY CLAIMS IF PARTS ARE UNAVAILABLE OR OBSOLETE.

1. Lifetime basketball systems are warranted to the original purchaser to be free from defects in material or workmanship for a period of five years from the date of original retail purchase. The word “defects” is defined as imperfections that impair the use of the product. Defects resulting from misuse, abuse or negligence will void this warranty. This warranty does not cover defects due to improper installation, alteration or accident. This warranty does not cover damage caused by vandalism, rusting, “acts of nature” or any other event beyond the control of the manufacturer.

2. This warranty is nontransferable and is expressly limited to the repair or replacement of defective product. If the product is defective within the terms of this warranty, Lifetime Products, Inc. will repair or replace defective parts at no cost to the purchaser. Shipping charges to and from the factory or distribution center are not covered and are the responsibility of the purchaser. Labor charges and related expenses for removal, installation or replacement of the basketball system or its components are not covered under this warranty.

3. This warranty does not cover scratching or scuffing of the product that may result from normal usage. In addition, defects resulting from intentional damage, negligence, unreasonable use or hanging from the rim will void this warranty.

4. Liability for incidental or consequential damages is excluded to the extent permitted by law. While every attempt is made to embody the highest degree of safety in all equipment, freedom from injury cannot be guaranteed. The user assumes all risk of injury resulting from the use of this product. All merchandise is sold on this condition, and no representative of the company may waive or change this policy.

5. This product is not intended for institutional or commercial use; Lifetime Products, Inc. does not assume any liability for such use. Institutional or commercial use will void the warranty.

6. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

7. This warranty is expressly in lieu of all other warranties, expressed or implied, including warranties of merchantability or fitness for use to extent permitted by Federal and state law. Neither Lifetime Products, Inc., nor any representative assumes any other liability in connection with this product. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

PLEASE INCLUDE YOUR DATED SALES RECEIPT AND PHOTOGRAPHS OF DAMAGED PARTS.

REPORT PRODUCT DEFECTS IN WRITING TO:
Lifetime Products, Inc., PO Box 160010 Clearfield, UT 84016-0010
or call 1-800-225-3865 M-F 7 a.m. to 5 p.m. MST.

REGISTER YOUR PRODUCT FOR QUICKER CUSTOMER SERVICE.

Visit www.lifetime.com or call 1-800-225-3865 to register your product today.

FOR INTERNATIONAL WARRANTY CLAIMS:

All warranty claims must be accompanied by a sales receipt. Report all warranty claims in writing to your regional sales support representative. Please include your dated sales receipt and photographs of damaged parts.
To Identify the representative for your region, please visit: www.lifetime.com/international

LIFETIME®

www.lifetime.com

ENHANCE YOUR LIFETIME® PURCHASE BY ADDING ACCESSORIES OR OTHER GREAT PRODUCTS

To purchase accessories or other Lifetime® products, visit us at:

www.lifetime.com

Or call: 1-800-424-3865

7:00 am–5:00 pm (M–F) MST and 9:00 am–1:00 pm Saturday MST

AMÉLIORER L'ACHAT LIFETIME® EN AJOUTANT DES ACCESSOIRES OU D'AUTRES PRODUITS

Pour acheter des accessoires ou des autres produits Lifetime®, visiter le :

www.lifetime.com

(Anglais seulement)

Ou composer le 1-800-424-3865

Du lundi au vendredi de 7 h à 17 h, HR et le samedi de 9 h à 13 h, HR

MEJORAR LA COMPRA DE LIFETIME® AGREGANDO ACCESORIOS U OTROS MARAVILLOSOS PRODUCTOS

Para comprar accesorios u otros productos de Lifetime®, visitarnos en:

www.lifetime.com

(solo inglés)

O marcar al: 1-800-424-3865

De lunes hasta viernes 7:00 h–17:00 h Horario Éstandar de la Montaña (MST) y sábados 9:00 h–13:00 h (MST)

www.lifetime.com

Made in the U.S.A. / Fabriqué aux États-Unis / Hecho en los EUA